

From: [Cook, Brenda](#)
To: [Mueller, Brian](#)
Subject: FW: Delta Shipyards (Access Agreement)
Date: Wednesday, November 12, 2014 1:47:00 PM
Attachments: [Access Agreement signed.pdf](#)
[image001.png](#)

From: Brenda Cook [mailto:Cook.Brenda@epamail.epa.gov]
Sent: Wednesday, November 12, 2014 1:45 PM
To: Cook, Brenda
Subject: Fw: Delta Shipyards (Access Agreement)

Brenda Nixon Cook
Region 6 NPL Coordinator
1445 Ross Avenue
Dallas, Texas 75202
214-665-7436

Consider being a bone marrow donor!! Join the National Donor Marrow Registry!! For more information visit

www.marrow.org

----- Forwarded by Brenda Cook/R6/USEPA/US on 11/12/2014 01:45 PM -----

From: Brenda Cook/R6/USEPA/US
To: Robert Werner/R6/USEPA/US@EPA
Date: 09/18/2012 09:11 AM
Subject: Fw: Delta Shipyards (Access Agreement)

Brenda Nixon Cook
Region 6 NPL Coordinator
1445 Ross Avenue
Dallas, Texas 75202
214-665-7436

Consider being a bone marrow donor!! Join the National Donor Marrow Registry!! For more information visit

www.marrow.org

----- Forwarded by Brenda Cook/R6/USEPA/US on 09/18/2012 09:11 AM -----

From: Gary Moore/R6/USEPA/US
To: cook.brenda@epa.gov
Date: 07/23/2012 02:57 PM
Subject: Fw: Delta Shipyards (Access Agreement)

Brenda:

See attached

Gary Moore
Federal On-Scene Coordinator
EPA Region 6
Cell: 214-789-1627
Work: 214-665-6609
email: moore.gary@epa.gov

----- Forwarded by Gary Moore/R6/USEPA/US on 07/23/2012 02:56 PM -----

From: "Wright, Jeff" <Jeff.Wright@WestonSolutions.com>
To: Gary Moore/R6/USEPA/US@EPA
Date: 07/23/2012 10:14 AM
Subject: FW: Delta Shipyards

Gary –

Here's a copy of the Access Agreement.

Jeff Wright, CHMM
Weston Solutions, Inc.
an employee-owned company
13702 Coursey Blvd.,
Bldg #7, STE A
Baton Rouge, LA 70817
(225) 297-5415 Direct
(225) 278-8406 Cell
Jeff.Wright@westonsolutions.com

From: Wright, Jeff
Sent: Friday, July 20, 2012 5:03 PM
To: 'Gary Moore'
Cc: Bordelon, David
Subject: Delta Shipyards

Gary –

Here's the weekly summary information along with a cost estimate for upcoming field activities and report preparation. During the field visit with one of our clearing subcontractors, they suggested using a Swamp Master unit to access the pits. This would eliminate the need to clear a lot of area around the pits. We also decided that the uneven terrain around the pits was going to be a problem for the man lift. Take a look at the estimate and let me know what you think. If it looks ok, David can send out the proper notifications for requesting a TDD amendment.

Thanks,



Jeff Wright, CHMM
Weston Solutions, Inc.

an employee-owned company

13702 Coursey Blvd.,
Bldg #7, STE A

Baton Rouge, LA 70817

(225) 297-5415 Direct

(225) 278-8406 Cell

Jeff.Wright@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg
which may be a computer program. This attached computer program
could

contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment.

After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

(See attached file: Access Agreement_signed.pdf)